

RealRun

深圳市惟赞电子有限公司
Shenzhen RealRun Electronic Co.,Ltd




连接器专业制造厂商
www.realrun.com.cn

B版


RoHS
Compliant

  ISO9001:2000 ISO14001



公司简介

INTRODUCTION

深圳市惟赞电子有限公司 (RealRun) 是一家集产品研发、设计、生产和销售为一体的连接器企业。主营排针、排母、简牛、牛角、IDC、IDC灰排线、FFC/FPC、FFC软排线和条形连接器等，自2005年5月成立以来，公司本着“质量为主、服务为辅、诚信为伍”的经营理念，与时俱进。2013年通过ISO9001质量认证，同时建立产品测试实验室，所有产品都符合RoHS和REACH要求。

公司“三JIE”更是获得客户和员工的信任：

洁：清洁、整洁、自洁；

结：与客户团结、与领导团结、与员工团结；

接：连接世界、连接你我、连接产品。

公司拥有精良的设备和精确的检测，目前产品已销至全国各地，在成都、北京设有代理销售地点，并且有部分产品走向国外。公司坚持以您的满意为己任，将产品向世界推展，竭诚欢迎新老客户洽谈与合作，以期共赢共进！

Shenzhen RealRun Electronic Co., Ltd. is a connector manufacturer integrating with product R&D, design, production and marketing with the main business covering pin header, female header, box header, header connector, IDC, IDC flat cable, FFC/FPC, FFC flexible flat cable and bar connector. Since its establishment in May of 2005, the Company persists in a business philosophy of “quality first, service supplemented, credit oriented” to keep pace with the times. In 2013, the Company had passed ISO9001 quality certification, and established a product testing lab. All of the products satisfy the requirements as per RoHS and REACH.

“Three-C” of the Company is deeply trusted by customers and employees:

Clean: cleaning, tidy, self-cleaning;

Coordination: coordinate with customers, leaders and employees;

Connection: Connection with the world, colleagues and products;

The Company enjoys excellent equipment and precise testing. At present, our products are well sold to each quarter of China, and some of our products are sold to foreign countries. We have set up business office in Chengdu and Beijing. Taking “satisfying you” as mission, the Company is making great efforts to develop international market. We sincerely hope all the customers to make discussion on cooperation with us for win-win.

Corporate philosophy


企业理念



企业理念是企业持续经营和长期发展过程中，继承企业优良传统，适应时代要求，由企业家积极倡导，全体员工自觉实践，从而形成的代表企业信念、激发企业活力、推动企业生产经营的团体精神和行为规范。按照不同层次划分为精神文化型和组织制度型两类。

精神文化型的企业理念，是指那些由思想、观念、心理等因素经长期的相互渗透、影响而逐步形成的一种内含于企业生产经营中的主导意识。精神文化型的企业理念表现为群体的理想、信念、价值观、道德标准、心理等方面，它一旦形成，则不易发生变化，具有相当长的延续性和结构稳定性。精神文化型的企业理念代表了企业理念的深层结构，它是企业理念的真正核心，代表企业理念的最基本的精神含义。

企业理念必须体现顾客需求和竞争的要求。对于企业来说，理念是指导其经营活动的工具，而企业活动既是满足顾客需求的过程，也是与同业者进行竞争的过程。因而，企业理念必须有助于这一过程。



发展简史

- 2005年8月在深圳市西乡镇劳动村成立深圳西乡瑞林电子厂
- 2008年5月企业更名深圳市惟赞电子有限公司
- 2009年10月工厂迁入深圳市宝安区39区宝城大厦
- 2012年1月建立产品实验室
- 2012年6月工厂迁入深圳光明新区公明镇红星村伯诚工业区3栋5楼
- 2012年8月研发设备自动化控制系统并对外销售
- 2012年8月产品销往美国
- 2013年4月引入ERP系统
- 2013年产品销往韩国、日本、德国
- 2013年6月通过CTC公司的ISO9001认证

Company History

- Aug 2005, established Ruilin Electronic factory in Laodong village, Xixiang, Shenzhen, Guangdong
- May 2008, named Shenzhen RealRun Electronic Co., Ltd
- Oct 2009, factory moved to Baocheng Bldg, 39 Zone Baoan, Shenzhen, Guangdong
- In January 2012 established products laboratory
- Jun 2012, factory moved to F/5 Bldg 3, Bo Cheng Industry Zone, Hongxing, Gongming, Guangming new district, Shenzhen, Guangdong
- Aug 2012, R&D and sale equipment' s automation control system
- In August 2012, products are exported to the United States
- In April 2013, the introduction of ERP system
- In 2013, Products are exported to Korea, Japan and Germany
- Jun 2013, acquired ISO9001 certificate by CTC company

质量为主 服务为辅 诚信为伍

目录索引

0.8/1.0/1.27/1.778/2.0/2.54/3.96/5.08mm180度/90度/SMT/排针系列.....	1-7
0.8/1.0/1.27/1.778/2.0/2.54/3.96/5.08mm180度/90度/SMT/排母系列.....	8-16
1.27/2.0/2.54mm180度/90度/SMT 筒牛/牛角系列.....	17-20
1.27/2.0/2.54mm IDC系列/DIP系列.....	21
1.27mm Micro Connectors红色IDC系列.....	22
IC/PLCC Socket Connectors 系列.....	23-24
FPC/FFC系列.....	25-26
条形连接器系列.....	27-28
USB+HDMI系列.....	29-31
D-SUB系列.....	31-33
灰排线系列.....	33-34
FFC线材系列.....	34-35

★0.8/1.0/1.27/1.778/2.0/2.54/3.96/5.08mm180度/90度/SMT/排针系列



01.1系列: 0.8*1.2mm双排针 贴片
Spec:0.8*1.2mm Pin Header,Dual Row,SMT
Positions:2*2~2*50
Plastics Height:1.38mm




01.1系列: 0.8*1.2mm双排针,双塑,SMT
Spec:0.8*1.2mm Board Spacer,Dual Row,SMT
Positions:2*2~2*50
Plastics Height:1.38mm



01.2系列: 1.0mm单/双排针,180度
Spec:1.0mm Pin Header,Single/Dual Row,Straight
Positions:1*2~1*50/2*2~2*50
Plastics Height:1.0/1.5mm




01.2系列: 1.0mm双排针,双塑,180度
Spec:1.0mm Board Spacer,Dual Row,Straight
Positions:2*2~2*50
Plastics Height:1.0/1.5/2.0mm




01.2系列: 1.0mm双排针,SMT
(可带定位柱及夹持盖)
Spec:1.0mm Pin Header,Dual Row,SMT With
Locating Peg or CAP
Positions:2*2~2*50
Plastics Height:1.0/1.5/2.0mm




01.3系列: 1.27mm,0.40SQ Pin Header,
Single Row,Straight/Right Angle
Positions:1*2~1*50
Plastics Height:1.0/1.7/2.0/2.54mm



01.3系列: 1.27mm单排,双塑,180度
塑高1.0/1.7/2.0/2.54mm
Spec:1.27mm Board Spacer,Single Row,Straight
Positions:1*2~1*50
Plastics Height:1.0/1.7/2.0/2.54mm



01.3系列: 1.27*2.54mm双排针,180度
Spec:1.27mm Pin Header,Dual Row,Straight
Positions:2*2~2*50
Plastics Height:1.7/2.54mm



01.3系列: 1.27*2.54mm双排针,双塑,180度
Spec:1.27 mm Board Spacer,Dual Row, Dual
Plastics Straight
Positions:2*2~2*50
Plastics Height:1.7/2.54mm



01.3系列: 1.27*2.54mm双排针,SMT
(可带夹持盖)
Spec:1.27*2.54mm Pin Header,Dual Row,SMT With CAP
Positions:2*3~2*50
Plastics Height:1.7/2.54mm



01.3系列: 1.27*2.54mm双排针,双塑,SMT,(可带夹持盖)
Spec:1.27 mm Board Spacer,Dual Row,Dual Plastics
SMT With CAP
Positions:2*2~2*50
Plastics Height:1.7/2.54mm



01.3系列:1.27mm 排针 双排 SMT 单塑/多塑(带柱/夹持盖)
Spec:1.27mm Pin Header Dual Row SMT
With Locating Peg or CAP
Plastics Height: 1.0/1.7/2.0/2.54mm
Positions:2*2~2*50




01.3系列: 1.27*2.54mm双排针,90度
Spec:1.27*2.54mm Pin Header,Dual Row,Right Angle
Positions:2*2~2*50
Plastics Height:1.7/2.54mm



01.3系列: 1.27mm,0.40SQ Pin Header
Single Row,S.M.T
Positions:1*2~1*50
Plastics Height:1.0/1.7/2.0/2.54mm



01.3系列: 1.27mm 单排 SMT 单塑/多塑(夹持盖)
Spec:1.27mm Pin Header Single Row SMT With CAP
Plastics Height: 1.0/1.7/2.0/2.54mm
Positions:1*2~1*50



01.3系列: 1.27mm单排,双塑,90度
塑高1.0/1.7/2.0/2.54mm
Spec:1.27mm Dual Plastics,Single Row,Right Angle
Positions:1*2~1*50
Plastics Height:1.0/1.7/2.0/2.54mm



01.3系列: 1.27mm双排针,90度,SMT
(可带定位柱及夹持盖)
Spec:1.27mm Pin Header,Dual Row,Right Angle,SMT
With Locating Peg Or CAP
Positions:2*2~2*50
Plastics Height:2.0/2.54mm



01.3系列:1.27mm 单排针 双边弯
Spec:1.27mm Pin Header,Single Row,Right Angle
Positions:1*2~1*50
Plastics Height:1.0/1.7/2.0/2.5mm



01.3系列: 1.27mm排针 双排 SMT
Spec:1.27mm Pin Header Dual Row SMT
Plastics Height:1.0/1.5/1.7/2.0/2.54mm
Positions:2*2~2*50



01.3系列: 1.27mm排针 双排 U型
Spec:1.27mm Pin Header Dual Row U type
Plastics Height:1.0/1.5/1.7/2.0/2.54mm
Positions:2*2~2*50



01.3系列: 1.27mm排针 双排 SMT (定位针)
Spec:1.27mm Pin Header Dual Row SMT
Plastics Height:1.0/1.5/1.7/2.0/2.54mm
Positions:2*2~2*50



01.4系列: 2.0mm单排针,180度
Spec:2.0mm Pin Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:1.0/1.5/2.0mm



01.4系列: 2.0mm单排针,90度
Spec:2.0mm Pin Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:1.0/1.5/2.0mm



01.4系列: 2.0mm双排针,180度
Spec:2.0mm Pin Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:1.0/1.5/2.0mm




01.4 系列: 2.0mm双排针,90度
Spec:2.0mm Pin Header,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:1.0/1.5/2.0mm




01.4 系列: 2.0mm单排针,180度,SMT,(可带夹持盖)
Spec:2.0mm Pin Header,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:1.0/1.5/2.0mm




01.4 系列: 2.0mm双排针,180度,SMT
(可带定位柱及夹持盖)
Spec:2.0mm Pin Header,Dual Row,SMT With Locating Peg or CAP
Positions:2*2~2*40
Plastics Height:1.0/1.5/2.0mm



01.4 系列: 2.0mm单排针,双塑,180度
Spec:2.0mm Board Spacer,Single Row,Straight
Positions:1*2~1*40
Plastics Height:1.5/2.0mm



01.4 系列: 2.0mm单排针,双塑,90度
TYPE 1
Spec:2.0mm Dual Plastics,Single Row,Right Angle,Type 1
Positions:1*2~1*40
Plastics Height:2.0mm




01.4 系列: 2.0mm单排针,双塑,90度 R2TYPE
Spec:2.0mm Dual Plastics,Single Row,
Right Angle,Type 2
Positions:1*2~1*40
Plastics Height:2.0mm



01.4 系列: 2.0mm单排针,双塑,SMT
(可带夹持盖)
Spec:2.0mm Board Spacer,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:1.5/2.0mm



01.4 系列: 2.0mm双排针,双塑,180度
Spec:2.0mm Board Spacer,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:1.5/2.0mm



01.4 系列: 2.0mm双排针,双塑,90度
Spec:2.0mm Board Spacer,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:1.0/1.5/2.0mm



01.4 系列: 2.0mm双排针,双塑,SMT
(可带定位柱及夹持盖)
Spec:2.0mm Board Spacer,Dual Row,SMT With Locating Peg or CAP
Positions:2*2~2*40
Plastics Height:1.0/1.5/2.0mm



01.4 系列: 2.0mm单排针,90度,SMT(可带夹持盖)
Spec:2.0mm Pin Header,Single Row,Right Angle,SMT
With CAP
Positions:1*2~1*40
Plastics Height:2.0mm



01.4 系列: 2.0mm双排针,90度,SMT
(可带定位柱及夹持盖)
Spec:2.0mm Pin Header,Dual Row,Right Angle,SMT
With Locating Peg Or CAP
Positions:2*2~2*40
Plastics Height:2.0mm




01.4 系列: 2.0mm双排针,180度,塑高4.0mm
Spec:2.0mm Pin Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:4.0mm



01.4 系列: 2.0mm双排针,90度,塑高4.0mm
Spec:2.0mm Pin Header,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:4.0mm



01.4 系列: 2.0mm三排针,180度
Spec:2.0mm Pin Header,Triple Row,Straight
Positions:3*3~3*40
Plastics Height:1.5/2.0mm



01.4 系列: 2.0mm四排针,180度
Spec:2.0mm Pin Header,Quad Row,Straight
Positions:4*4~4*40
Plastics Height:1.5/2.0mm



01.4 系列: 2.0mm排针 单排 180°
Spec:2.0mm Pin Header Single Row Straight
Plastics Height:1.0/1.5/2.0mm
Positions:2*2~2*40



01.5 系列: 2.54mm单排针,180度
Spec:2.54mm Pin Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:1.0/1.5/1.7/2.0/2.54mm



01.5 系列: 2.54mm单排针,90度
Spec:2.54mm Pin Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:1.0/1.5/1.7/2.0/2.54mm



01.5 系列: 2.54mm单排针, SMT
(可带夹持盖)
Spec:2.54mm Pin Header,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:1.0/1.5/1.7/2.0/2.54mm



01.5 系列: 2.54mm双排针,180度
Spec:2.54mm Pin Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:1.0/1.5/2.0/2.54mm



01.5 系列: 2.54mm双排针,90度
Spec:2.54mm Pin Header,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:1.0/1.5/1.7/2.0/2.54mm



01.5 系列: 2.54mm双排针, SMT
(可带定位柱及夹持盖)
Spec:2.54mm Pin Header,Dual Row,
Straight,SMT With Locating Peg or CAP
Positions:2*3~2*40
Plastics Height:1.0/1.5/1.7/2.0/2.54mm



01.5 系列: 2.54mm单排针,双塑,90度
Spec:2.54mm Board Spacer,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:1.0/1.5/1.7/2.0/2.54mm



01.5系列: 2.54mm单排针,双塑,SMT
(可带夹持盖)
Spec:2.54mm Board Spacer,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:1.0/1.5/2.0/2.54mm



01.5系列: 2.54mm双排针,双塑,180度,压接式
Spec:2.54mm Board Spacer,Dual Row Straight,Press-Fit
Positions:1*2~1*40
Plastics Height:2.54mm



01.5系列: 2.54mm双排针,双塑,90度
Spec:2.54mm Board Spacer,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:1.0/2.0/2.54mm




01.5系列: 2.54mm双排针,双塑,90度
Spec:2.54mm Board Spacer,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:2.54mm



01.5系列:2.54mm排针 双排/三塑 180度
Spec:2.54mm Pin Header Dual Row Straight
Positions:2*2~2*40
Plastics Height:1.5/2.0/2.5mm



01.5系列:2.54mm排针 双排 90度 SMT 加塑胶
Spec:2.54mm Pin Header Dual Row Right Angle SMT
Positions:2*2~2*50
Plastics Height:1.0/1.5/2.0/2.54mm



01.5系列: 2.54mm双排针,双塑,SMT
(可带定位柱及夹持盖)
Spec:2.54mm Board Spacer,Dual Row,SMT With Locating Peg or CAP
Positions:2*2~2*40
Plastics Height:2.54mm



01.5系列: 2.54mm双排针,双塑,90度
塑宽9.7mm
Spec:2.54mm Board Spacer,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:2.54mm



01.5系列: 2.54mm单排针,90度,SMT
(可带夹持盖)
Spec:2.54mm Pin Header,Single Row,Right Angle ,SMT With CAP
Positions:1*2~1*40
Plastics Height:2.54mm



01.5系列: 2.54mm双排针,90度,SMT
(可带定位柱及夹持盖)
Spec:2.54mm Pin Header,Dual Row,Right Angle ,SMT
With Locating Peg Or CAP
Positions:2*2~2*40
Plastics Height:2.54mm



01.5系列: 2.54mm三排针,180度
Spec:2.54mm Pin Header,Triple Row,Straight
Positions:3*3~3*40
Plastics Height:2.54mm



01.5系列: 2.54mm三排针,90度
Spec:2.54mm Pin Header,Triple Row,Right Angle
Positions:3*3~3*40
Plastics Height:2.54mm



01.5系列: 2.54mm三排针,180度,双塑
Spec:2.54mm Pin Header,Board Spacer,Triple Row,
Straight
Positions:3*3~3*40
Plastics Height:2.54mm




01.5系列: 2.54mm双排针,180度
Spec:2.54mm Pin Header,Dual Row,Straight
Positions:2*3~2*40
Plastics Height:4.3mm



01.5系列: 2.54mm双排针,90度
Spec:2.54mm Pin Header,Dual Row,Right Angle
Positions:2*3~2*40
Plastics Height:4.3mm



01.5系列: 2.54mm双排针,180度
Spec:2.54mm Pin Header,Dual Row,Straight
Positions:2*3~2*40
Plastics Height:7.4mm



01.5系列: 2.54mm双排针,180度
Spec:2.54mm Pin Header,Dual Row,Straight
Positions:2*3~2*40
Plastics Height:7.4mm



01.5系列: 2.54mm单排针,180度,3P,U型
Spec:2.54mm Pin Header,Single Row,U-Type
Positions: 3P
Plastics Height:2.54mm



01.5系列:2.54mm排针 单排/双排 彩色 180度
Spec:2.54mm Pin Header Single Row Straight
Positions:1*2P~1*40P
2*2P~2*40P
Plastics Height:1.7/2.0/2.5mm




01.6系列:3.96mm 排针 单排 180度 单塑/多塑
Spec:3.96mm Pin Header Single Row Straight
Positions:1*2~1*14
Plastics Height:3.1mm



01.6系列:3.96mm 排针 单排 180度 单塑/多塑
Spec:3.96mm Pin Header Single Row Straight
Positions:1*2~1*24
Plastics Height:3.1mm



01.6系列:3.96mm 排针 单排 90度
Spec:3.96mm Pin Header Single Row Right Angle
Positions:1*2~1*24
Plastics Height:3.1mm




01.7系列:5.08mm 排针 单排 180度 单塑/多塑
Spec:5.08mm Pin Header Single Row Straight
Positions:1*2~1*20
Plastics Height:2.54mm



01.7系列:5.08mm 排针 单排 180度 单塑/多塑
Spec:5.08mm Pin Header Single Row Straight
Positions:1*2~1*14
Plastics Height:3.1mm



01.7系列:5.08mm 排针 单排 90度
Spec:5.08mm Pin Header Single Row Right Angle
Positions:1*2~1*14
Plastics Height:3.1mm



01.8系列:1.27mm 圆针 单/双/三排 180度
Spec:1.27mm Pitch Machine Pin Adapters
Single/Dual/Tripel Row Straight
Plastics Height:2.0
Positions:1*2~1*50/2*2~2*50/3*2~3*50




01.8系列:1.27mm 圆针 单/双/三排 90度
Spec:1.27mm Pitch Machine Pin Adapters
Single/Dual/Tripel Row Right Angle
Plastics Height:2.0
Positions:1*2~1*50/2*2~2*50/3*2~3*50



01.8系列:1.27mm 圆针 单/双/三排 SMT
Spec:1.27mm Pitch Machine Pin Adapters
Single/Dual/Tripel Row SMT
Plastics Height:2.0
Positions:1*2~1*50/2*2~2*50/3*2~3*50



01.8系列:1.778mm 圆针/圆孔 单排 180度
Spec:1.778mm Pitch Machine Pin Adapters And Socket
Single Row Straight
Plastics Height:3.0
Positions:1*2~1*40



01.8系列:2.0mm 圆针 单/双排 180度
Spec:2.0mm Pitch Machine Pin Adapters
Single/Dual Row Straight
Plastics Height:2.8
Positions:1*2~1*40/2*2~2*40




01.8系列:2.0mm 圆针 单/双排 90度
Spec:2.0mm Pitch Machine Pin Adapters
Single/Dual Row Right Angle
Plastics Height:2.8
Positions:1*2~1*40/2*2~2*40



01.8系列:2.0mm 圆针 单/双排 SMT
Spec:2.0mm Pitch Machine Pin Adapters
Single/Dual Row SMT
Plastics Height:2.8
Positions:1*2~1*40/2*2~2*40



01.8系列:2.54mm 圆针 单/双排 180度
Spec:2.54mm Pitch Machine Pin Adapters
Single/Dual Row Straight
Plastics Height:1.9/3.0
Positions:1*2~1*40/2*2~2*40



01.8系列:2.54mm 圆针 单/双排 90度
Spec:2.54mm Pitch Machine Pin Adapters
Single/Dual Row Right Angle
Plastics Height:1.9/3.0
Positions:1*2~1*40/2*2~2*40



01.8系列:2.54mm 圆针 单/双排 SMT
Spec:2.54mm Pitch Machine Pin Adapters
Single/Dual Row SMT
Plastics Height:1.9/3.0
Positions:1*2~1*40/2*2~2*40



01.8系列:2.54mm 排针 三 180度
Spec:2.54mm Pin Header Triple Row Straight
Plastics Height:2.54mm
Positions:3*3~3*40

★0.8/1.0/1.27/1.778/2.0/2.54/3.96/5.08mm180度/90度/SMT/排母系列



02.1系列: 0.8*1.2mm双排母,SMT
Spec:0.8*1.2mm Female Header,Dual Row,SMT
Positions:2*2~2*50
Plastics Height:3.1mm



02.2系列:1.0mm Female Header
Single Row Bottom Entry
Positions:1*2~1*50
Plastics Height:2.0mm



02.2系列: 1.0mm双排母,SMT, 1.0mm 单排母 SMT
(可带定位柱)
Spec:1.0mm Female Header,Dual Row,SMT With Locating Peg
Positions:2*2~2*50
Plastics Height:2.1mm



02.3系列: 1.27mm单排母,180度
Spec:1.27mm Female Header,Single Row,Straight
Positions:1*2~1*50
Plastics Height:2.1/3.4/4.3mm



02.3系列: 1.27mm双排母,180度
Spec:1.27mm Female Header,Dual Row,Straight
Positions:2*2~2*50
Plastics Height:2.0/3.4/4.3mm



02.3系列: 1.27mm单排母,SMT,(可带夹持盖)
Spec:1.27mm Female Header,Single Row,SMT With CAP
Positions:1*2~1*50
Plastics Height:2.1/3.4/4.3mm



02.3系列: 1.27mm单排母,SMT,(可带夹持盖)
Spec:1.27mm Female Header,Single Row,SMT With CAP
Positions:1*3~1*50
Plastics Height:5.7mm



02.3系列: 1.27mm双排母,SMT,(可带定位柱及夹持盖)
Spec:1.27mm Female Header,Dual Row,
SMT With Locating Peg or CAP
Positions:2*2~2*50
Plastics Height:2.0/3.4/4.3mm



02.3系列: 1.27mm双排母,SMT
(带大小定位柱及夹持盖)
Spec:1.27mm Female Header,Dual Row,
SMT With Different Locating Peg or CAP
Positions:2*2~2*50
Plastics Height:3.4mm



02.3系列: 1.27mm双排母侧插式
Spec:1.27mm Female Header,Dual Row,Side Entry,
Positions:2*2~2*50
Plastics Height:3.45mm



02.3系列: 1.27mm单排母,90度
Spec:1.27mm Female Header,Single Row,Right Angle
Positions:1*2~1*50
Plastics Height:4.3mm



02.3系列: 1.27mm双排母,90度
Spec:1.27mm Female Header,Dual Row,Right Angle
Positions:2*2~2*50
Plastics Height:3.5/4.3mm



02.3系列: 1.27*2.54mm双排母,SMT
(可带定位柱及夹持盖)
Spec:1.27*2.54mm Female Header,Dual Row,
SMT With Locating Peg or CAP
Positions:2*2~2*50
Plastics Height:5.7mm



02.3系列: 1.27mm单排母,180度
Spec:1.27mm Female Header,Single Row,Straight
Positions:1*2~1*50
Plastics Height:4.6mm



02.3系列: 1.27*2.54mm双排母,180度
Spec:1.27*2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*50
Plastics Height:4.6mm



02.3系列: 1.27mm单排母,180度
Spec:1.27mm Female Header,Single Row, Straight
Positions:1*2~1*50
Plastics Height:8.5mm



02.3系列: 1.27*2.54mm双排母,180度
Spec:1.27*2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*50
Plastics Height:8.5mm



02.4系列: 2.0mm单排母,180度
Spec:2.0mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:2.0/4.0/4.3/4.6mm



02.4系列: 2.0mm双排母,180度
Spec:2.0mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:2.2/4.0/4.3/4.6mm



02.4系列: 2.0mm双排母,SMT(可带柱及夹持盖)
Spec:2.0mm Female Header,Dual Row,
SMT With Locating Peg
Positions:2*2~2*40
Plastics Height:2.2/4.0/4.3/4.6mm




02.4系列: 2.0mm单排母,90度
塑宽2.75mm (波浪型塑胶)
Spec:2.0mm Female Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:4.3mm




02.4系列: 2.0mm单排母,SMT,(可带夹持盖)
Spec:2.0mm Female Header,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:4.0/4.3/4.6mm



02.4系列: 2.0mm单排母,180度
3.0/4.0mm蜈蚣脚
Spec:2.0mm Female Header,Single Row,Bottom Entry
Positions:1*3~1*40
Plastics Height:4.3mm



02.4系列: 2.0mm双排母,180度
5.0/6.0mm蜈蚣脚
Spec:2.0mm Female Header,Dual Row,Bottom Entry
Positions:2*2~2*40
Plastics Height:4.3mm



02.4系列: 2.0mm双排母,90度,双侧插,SMT
Spec:2.0mm Female Header,Dual Row,Side Entry,SMT
Positions:2*2~2*40
Plastics Height:4.9mm



02.4系列: 2.0mm单排母,180度
Spec:2.0mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:6.35mm



02.4系列: 2.0mm单排母,90度
Spec:2.0mm Female Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:6.35mm



02.4系列: 2.0mm双排母,180度
Spec:2.0mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:6.35mm



02.4系列: 2.0mm排母 双排 90°
Spec:2.0mm Female Header Dual Row
Angle Right
Plastics Height:4.9mm
Positions:2*2~2*40



02.4系列: 2.0mm双排母,90度
Spec:2.0mm Female Header,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:6.35mm



02.4系列: 2.0mm双排母,SMT
(可带定位柱及夹持盖)
Spec:2.0mm Female Header,Dual Row,
SMT With Locating Peg Or CAP
Positions:2*2~2*40
Plastics Height:6.35mm



02.4系列: 2.0mm双排母,180度
Spec:2.0mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:6.35+2.0mm



02.4系列: 2.0mm三排母,180度
Spec:2.0mm Female Header,Quad Row,Straight
Positions:3*3~3*40
Plastics Height:6.35mm



02.4系列: 2.0mm四排母,180度
Spec:2.0mm Female Header,Quad Row,Straight
Positions:4*3~4*40
Plastics Height:6.35mm



02.4系列: 2.0mm四排母,180度
压接式(PC104)
Spec:2.0mm Female Header,Quad Row, Straight, Press-Fit
Positions:4*30
Plastics Height:9.35mm




02.4系列: 2.0mm双排母,90度
Spec:2.0mm Female Header,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height:7.2mm



02.4 系列: 2.0mm双排母,90度,侧插型
Spec:2.0mm Female Header,Dual Row,
Side Entry,Right Angle
Positions:2*2~2*40
Plastics Height:4.9mm



02.4 系列: 2.0mm双排母,180度带防呆凸点
Spec:2.0mm Female Header,Dual Row,
Straight
Positions:2*2
Plastics Height:4.0mm



02.5 系列: 2.54mm单排母,90度,侧插型
Spec:2.54mm Female Header,Single Row,
Side Entry,Right Angle
Positions:1*2~1*40
Plastics Height:3.4mm



02.5 系列: 2.54mm单排母,SMT,侧插型
Spec:2.54mm Female Header,Single Row,
Side Entry SMT
Positions:1*2~1*40
Plastics Height:3.4mm



02.5 系列: 2.54mm双排母,180度,Y形端子
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:3.5mm



02.5 系列: 2.54mm双排母,SMT,U形端子
(可带定位柱及夹持盖)
Spec:2.54mm Female Header,Dual Row,
SMT With Locating Peg Or CAP
Positions:2*2~2*40
Plastics Height:3.5mm



02.5 系列: 2.54mm双排母,蜈蚣脚,U形端子
Spec:2.54mm Female Header,Dual Row,Botton Entry
Positions:2*2~2*40
Plastics Height:3.5mm



02.5 系列: 2.54mm双排母,180度带凸点,塑高5.0mm
Spec:2.54mm Female Header,Dual Row,
Straight With Polarizatic
Positions:2*2~2*40
Plastics Height:5.0mm



02.5 系列: 2.54mm双排母,SMT
塑高5.0mm (可带定位柱及夹持盖)
Spec:2.54mm Female Header,Dual Row,
SMT With Locating Peg Or CAP
Positions:2*2~2*40
Plastics Height:5.0mm



02.5 系列: 2.54mm单排母,180度,塑高5.0mm
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:5.0mm



02.5 系列: 2.54mm单排母,90度,塑高5.0mm
Spec:2.54mm Female Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:5.0mm



02.5 系列: 2.54mm双排母,180度,塑高5.0mm
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:5.0mm



02.5系列: 2.54mm单排母,SMT
塑高5.0mm(可带夹持盖)
Spec:2.54mm Female Header,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:5.0mm



02.5系列: 2.54mm单排母,180度
3.8/5.08mm蜈蚣脚,塑高5.0mm
Spec:2.54mm Female Header,Single Row,Bottom Entry
Positions:1*3~1*40
Plastics Height:5.0mm



02.5系列: 2.54mm单排母,180度,单边蜈蚣脚,塑高5.0mm
Spec:2.54mm Female Header,Single Row,
Bottom Entry
Positions:1*2~1*40
Plastics Height:5.0mm



02.5系列:2.54mm 双排母 SMT H:5.0带夹持盖
Spec:2.54mm Female Header,Single Row,
S.M.T With CAP
Positions:2*2~2*40
Plastics Height:5.0mm



02.5系列: 2.54mm双排母,180度
5.08/7.62mm蜈蚣脚,塑高5.0mm
Spec:2.54mm Female Header,Dual Row,Botton Entry
Positions:2*2~2*40
Plastics Height:5.0mm



02.5系列: 2.54mm 单排母,90度,Y形端子,塑高5.7mm
Spec:2.54mm Female Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:5.7mm



02.5系列: 2.54mm双排母,90度,侧插型,塑高5.9mm
Spec:2.54mm Female Header,Dual Row,Side Entry,
Right Angle
Positions:2*2~2*40
Plastics Height:5.9mm



02.5系列: 2.54mm双排母,SMT,侧插型,塑高5.9mm
Spec:2.54mm Female Header,Dual Row,Side Entry,
SMT
Positions:2*2~2*40
Plastics Height:5.9mm



02.5系列: 2.54mm单排母,180度,塑高6.8mm上插型
Spec:2.54mm Female Header,Single Row,Top Entry,
Straight
Positions:1*2~1*40
Plastics Height:6.8mm



02.5系列: 2.54mm双排母,180度,塑高6.8mm上插型
Spec:2.54mm Female Header,Dual Row,
Top Entry ,Straight
Positions:2*2~2*40
Plastics Height:6.8mm




02.5系列: 2.54mm单/双排母,180度,塑高6.8mm下插型
Spec:2.54mm Female Header,Single Dual Row,
Bottom Entry ,Straight
Positions:1*2~1*40/2*2~2*40
Plastics Height:6.8mm




02.5系列: 2.54mm双排母,180度,U形端子
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:3.5/5.0/7.1mm



02.5系列: 2.54mm单排母,90度,Y形端子,塑高8.5mm
Spec:2.54mm Female Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:8.5mm Y-Type Terminal



02.5系列: 2.54mm双排母,90度,Y形端子
Spec:2.54mm Female Header,Dual Row,Right Angle
Positions:2*2~2*40
Plastics Height: 5.8/8.5mm Y-Type Terminal



02.5系列: 2.54mm单排母,180度,U形端子
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:7.1mm




02.5系列: 2.54mm单排母,SMT,U形端子
(可带夹持盖)
Spec:2.54mm Female Header,Single Row,SMT With CAP
Positions:1*3~1*40
Plastics Height:7.1/8.5mm



02.5系列: 2.54mm双排母,SMT,U形端子
(可带定位柱及夹持盖)
Spec:2.54mm Female Header, Dual Row,
SMT With Locating Peg Or CAP
Positions:2*2~2*40
Plastics Height:7.1mm



02.5系列: 2.54mm三排母,90度,Y形端子
Spec:2.54mm Female Header,Triple Row,Right Angle
Positions:3*3~3*40
Plastics Height:8.5mm



02.5系列: 2.54mm单排母,180度
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:8.5mm Y-Type Terminal



02.5系列: 2.54mm双排母,180度,Y形端子
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:5.7/8.5mm Y-Type Terminal



02.5系列: 2.54mm单排母,180度,Y形端子
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:8.5+2.5mm Y-Type Terminal



02.5系列: 2.54mm单排母,180度,Y形端子
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:8.5+5.08mm Y-Type Terminal



02.5系列: 2.54mm单排母,180度,Y形端子
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:8.5+7.62mm Y-Type Terminal



02.5系列: 2.54mm Female Header
Dual Row,S.M.T
Positions:2*2~2*40
Plastics Height:5.7/8.5mm Y-Type Terminal



02.5系列: 2.54mm单排母,180度,U形端子
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:8.5mm U-Type Terminal



02.5系列: 2.54mm双排母,180度,U形端子
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:8.5mm U-Type Terminal



02.5系列: 2.54mm单排母,180度,U形端子,波浪型
Spec:2.54mm Female Header,Single Row,Straight
Positions:1*2~1*40
Plastics Height:8.5mm U-Type Terminal



02.5系列: 2.54mm单排母,90度,U形端子
塑高8.5mm 波浪型
Spec:2.54mm Female Header,Single Row,Right Angle
Positions:1*2~1*40
Plastics Height:8.5mm U-Type Terminal



02.5系列: 2.54mm双排母,180度,U形端子,波浪型
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:8.5mm U-Type Terminal



02.5系列: 2.54mm双排母,SMT,U形端子
(可带夹持盖)
Spec:2.54mm Female Header,Dual Row,SMT With CAP
Positions:2*2~2*40
Plastics Height:8.5mm U-Type Terminal



02.5系列: 2.54mm双排母,180度,Y形端子
塑宽6.0mm带凸点
Spec:2.54mm Female Header,Dual Row,Straight,
Plastics Width 6.0mm With Polarization Bump
Positions:2*5~2*30
Plastics Height:8.5mm



02.5系列: 2.54mm双排母,90度,Y形端子
塑宽6.0mm带凸点
Spec:2.54mm Female Header,Dual Row,Right Angle
Plastics Width 6.0mm With Polarization Bump
Positions:2*2~2*30
Plastics Height:8.5mm



02.5系列: 2.54mm单排母,180度,U形端子
蜈蚣脚
Spec:2.54mm Female Header,Single Row,Bottom Entry
Positions:1*2~1*40
Plastics Height:8.5mm



02.5系列: 2.54mm双排母,180度,U形端子
6.0/7.62mm蜈蚣脚
Spec:2.54mm Female Header,Dual Row,Bottom Entry
Positions:2*2~2*40
Plastics Height:8.5mm



02.5系列: 2.54mm三排母,180度,Y形端子
Spec:2.54mm Female Header,Triple Row,Straight
Positions:3*3~3*40
Plastics Height:8.5mm



02.5系列: 2.54mm双排母,180度,Y形端子
Spec:2.54mm Female Header,Dual Row,Straight
Positions:2*2~2*40
Plastics Height:8.5+5.08mm Y-Type Terminal



02.5系列: 2.54mm双排母,180度,Y形端子
Spec:2.54mm Female Header,Dual Row,Straight
Positions:1*2~1*40
Plastics Height:8.5+7.62mm Y-Type Terminal



02.5系列: 2.54mm双排母,180度,PC104
Spec:2.54mm Female Header,Dual Row,
Straight(PC104)
Positions:2*2~2*40
Plastics Height:8.3+2.5mm




02.5系列: 2.54mm双排母,180度,PC104
免焊接式
Spec:2.54mm Female Header,Dual Row,
Straight Press-Fit
Positions:2*2~2*40P
Plastics Height:11.0mm



02.5系列: 2.54mm双排母,180度
Spec:2.54mm Female Header,Dual Row,
Straight(PC104)
Positions:2*2~2*40
Plastics Height:11.0mm



02.5系列: 2.54mm排母 双排 夹板式
Spec:2.54mm Female Header Dual Row Split
Plastics Height:8.5mm
Positions:2*2~2*40



02.5系列: 2.54mm排母 双排 加高型
Spec:2.54mm Female Header Dual Row
Plastics Height:8.5+2.5+2.5mm
Positions:2*2~2*40



02.5系列: 2.54mm排母 单排 90°
Spec:2.54mm Female Header Single Row
Angle Right
Plastics Height:8.5mm
Positions:1*2~1*40




02.5系列: 2.54mm排母 双排 夹板式
Spec:2.54mm Female Header Single Row
Right Angle
Plastics Height:8.5mm
Positions:1*2~1*40



02.5系列: 1.27mm排母 双排 SMT 带外柱
Spec:1.27mm Female Header Dual Row SMT
Plastics Height:4.3mm
Positions:2*2~2*50



02.5系列: 2.0mm排母 双排 90°
Spec:2.0mm Female Header Dual Row
Right Angle
Plastics Height:4.9mm
Positions:2*2~2*40



02.5系列 2.54mm双排母,180° Y型端子、蓝色
Spec:2.54mm Female Header,Dual Row,
Straight,Blue
Positions:2*2~2*40
Plastics Height:8.5mm Y-Type Terminal



02.5系列:3.96mm 排母 单排 180度
Spec:3.96mm Female Header Single Row Straight
Positions:1*2~1*24
Plastics Height:8.9mm




02.5系列:3.96mm 排母 单排 SMT
Spec:3.96mm Female Header Single Row SMT
Positions:1*2~1*24
Plastics Height:8.9mm




02.7系列:5.08mm 排母 单排 180度
Spec:5.08mm Female Header Single Row Straight
Positions:1*2~1*20
Plastics Height:8.9mm



02.7系列:5.08mm 排母 单排 SMT
Spec:5.08mm Female Header Single Row SMT
Positions:1*2~1*20
Plastics Height:8.9mm




02.8系列:1.27mm 圆孔 单/双/三排 90度
Spec:1.27mm Pitch Machine Pin Socket
Single/Dual/Tripel Row Right Angle
Plastics Height:4.0
Positions:1*2~1*50/2*2~2*50/3*2~3*50



02.8系列:1.27mm 圆孔 单/双/三排 SMT
Spec:1.27mm Pitch Machine Socket
Single/Dual/Tripel Row SMT
Plastics Height:4.0
Positions:1*2~1*50/2*2~2*50/3*2~3*50




02.8系列:1.27mm 圆孔 单/双/三排 180度
Spec:1.27mm Pitch Machine Pin Socket
Single/Dual/Tripel Row Straight
Plastics Height:4.0
Positions:1*2~1*50/2*2~2*50/3*2~3*50



02.A系列:2.0mm 圆孔 单/双排 180度
Spec:2.0mm Pitch Machine Pin Socket
Single/Dual Row Straight
Plastics Height:2.8
Positions:1*2~1*40/2*2~2*40




02.A系列:2.0mm 圆孔 单/双排 90度
Spec:2.0mm Pitch Machine Pin Socket
Single/Dual Row Right Angle
Plastics Height:2.8
Positions:1*2~1*40/2*2~2*40




02.A系列:2.0mm 圆孔 单/双排 SMT
Spec:2.0mm Pitch Machine Pin Socket
Single/Dual Row SMT
Plastics Height:2.8
Positions:1*2~1*40/2*2~2*40



02.B系列:2.54mm 圆孔 单/双排 180度
Spec:2.54mm Pitch Machine Pin Socket
Single/Dual Row Straight
Plastics Height:1.9/3.0/4.2/7.0
Positions:1*2~1*64/2*2~2*40



02.B系列:2.54mm 圆孔 单/双排 90度
Spec:2.54mm Pitch Machine Pin Socket
Single/Dual Row Right Angle
Plastics Height:1.9/3.0/4.2/7.0
Positions:1*2~1*40/2*2~2*40



02.B系列:2.54mm 圆孔 SMT
Spec:2.54mm Pitch Machine Pin Socket
Single/Dual Row SMT
Plastics Height:1.9/3.0/4.2/7.0
Positions:1*2~1*40/2*2~2*40

★ 1.27/2.0/2.54mm 180度/90度/SMT 筒牛/牛角系列



02.9系列:1.0mm 筒易牛角 SMT
塑高: H2.85/6.9mm(可带夹持盖)
Spec:1.0mm Box Header,SMT,Straight
Positions:10~100
Plastics Height:5.0mm



03.3系列: 1.27mm筒易牛角,SMT
(可带夹持盖)
Spec:1.27mm Box Header,SMT,With CAP
Positions:10~100
Plastics Height:5.0mm



03.3系列: 1.27mm筒易牛角,180度
Spec:1.27mm Box Header,Straight
Positions:10~100
Plastics Height:5.0mm



03.3系列: 1.27mm筒易牛角,90度
Spec:1.27mm Box Header,Right Angle
Positions:10~100
Plastics Height:5.0mm



03.3系列: 1.27mm筒易牛角,180度
Spec:1.27mm Box Header,Straight
Positions:10~100
Plastics Height:5.7mm



03.3系列: 1.27mm筒易牛角,90度
Spec:1.27mm Box Header,Right Angle
Positions:10~100
Plastics Height:5.7mm



03.3系列: 1.27mm筒易牛角,SMT
(可带定位柱及夹持盖)
Spec:1.27mm Box Header,SMT With Locating Peg or CAP
Positions:10~100
Plastics Height:5.7mm



03.3系列: 1.27mm筒牛加塑胶,SMT
Spec:1.27mm Box Header,SMT,Elevator
Positions:10~100
Plastics Height:5.7mm



03.3系列: 1.27mm筒牛,SMT,加高型塑高
Spec:1.27mm Box Header,SMT,Elevator
Positions:10~100
Plastics Height:7.5/8.0/9.0/10.0/12.0/15.0mm



03.3系列: 1.27*2.54mm筒易牛角,180度
Spec:1.27*2.54mm Box Header,Straight
Positions:10~100
Plastics Height:5.6mm



03.3系列: 1.27*2.54mm筒易牛角,90度
Spec:1.27*2.54mm Box Header,Right Angle
Positions:10~100
Plastics Height:5.6mm



03.3系列: 1.27*2.54mm筒易牛角,SMT
Spec:1.27*2.54mm Box Header,SMT
Positions:10~100
Plastics Height:5.6mm



03.3系列: 1.27*2.54mm简易牛角,180度
Spec:1.27*2.54mm Box Header,Straight
Positions:10-100
Plastics Height:10.4mm



03.4系列: 2.0mm简易牛角,180度
Spec:2.0mm Box Header,Straight
Positions:6-68
Plastics Height:5.7mm



03.4系列: 2.0mm简易牛角,180度,加塑胶
Spec:2.0mm Box Header,Straight, Elevator
Positions:6-68
Plastics Height:5.7mm



03.4系列: 2.0mm简易牛角,90度
Spec:2.0mm Box Header,Right Angle
Positions:6-68
Plastics Height:5.7mm



03.4系列: 2.0mm简易牛角,SMT(可带夹持盖)
Spec:2.0mm Box Header,SMT,With CAP
Positions:6-68
Plastics Height:5.7mm



03.4系列: 2.0mm简易牛角,SMT,加塑胶
Spec:2.0mm Box Header,SMT, Elevator
Positions:6-68
Plastics Height:5.7mm



03.4系列: 2.0mm简易牛角,180度
Spec:2.0mm Box Header,Straight
Positions:10-80
Plastics Height:6.4mm



03.4系列: 2.0mm简易牛角,90度
Spec:2.0mm Box Header,Right Angle
Positions:10-80
Plastics Height:6.4mm



03.4系列: 2.0mm简易牛角,SMT,(可带夹持盖)
Spec:2.0mm Box Header,SMT
Positions:10-80
Plastics Height:6.4mm



03.5系列: 2.54mm简易牛角,180度
Spec:2.54mm Box Header,Straight
Positions:6-64
Plastics Height:8.9mm



03.5系列: 2.54mm简易牛角,180度,加塑胶
Spec:2.54mm Box Header,Straight,Elevator
Positions:6-64
Plastics Height:8.9mm



03.5系列: 2.54mm简易牛角,90度
Spec:2.54mm Box Header,Right Angle
Positions:6-64
Plastics Height:8.9mm



03.5 系列: 2.54mm 简易牛角,SMT,(可带夹持盖)
Spec:2.54mm Box Header,SMT With CAP
Positions:6~64
Plastics Height:8.9mm



03.5 系列: 2.54mm 简易牛角,SMT,加塑胶
Spec:2.54mm Box Header,SMT,Elevator
Positions:6~64
Plastics Height:8.9mm



03.5 系列: 2.54mm 简易牛角,180度,塑高13.6mm
Spec:2.54mm Box Header,Straight
Positions:6~64
Plastics Height:13.6mm



03.5 系列: 2.54mm 简易牛角,90度,塑高13.6mm
Spec:2.54mm Box Header,Right Angle
Positions:6~64
Plastics Height:13.6mm



03.5 系列: 2.54mm 筒牛 SMT
Spec:2.54mm Box Header SMT
Positions:6~64



03.5 系列: 2.54mm 筒牛 蜈蚣脚
Spec:2.54mm Box Header
Positions:6~64



04.3 系列: 1.27mm 勾角牛角,180度
Spec:1.27mm Ejector Header,Straight
Positions:10~100



04.3 系列: 1.27mm 勾角牛角,90度
Spec:1.27mm Ejector Header,Right Angle
Positions:10~100



03.5 系列: 2.54mm 压线式简易牛角
Spec:2.54mm IDC-TYPE Box Header
Positions:10~64



04.3 系列: 1.27*2.54mm 牛角,180度(二排脚)
Spec:1.27*2.54mm Ejector Header,Straight
Positions:10~100



04.3 系列: 1.27*2.54mm 牛角,90度(二排脚)
Spec:1.27*2.54mm Ejector Header,Right Angle
Positions:10~100



04.3 系列: 1.27mm 勾角牛角,SMT
Spec:1.27mm Ejector Header,SMT
Positions:10~100



04.3系列: 1.27*2.54mm牛角,180度(四排脚)
Spec:1.27*2.54mm Ejector Header,Straight
Positions:10~100



04.3系列: 1.27*2.54mm牛角,90度(四排脚)
Spec:1.27*2.54mm Ejector Header,Right Angle
Positions:10~100



04.4系列: 2.0mm牛角,180度
Spec:2.0mm Ejector Header,Straight
Positions:10~68



04.4系列: 2.0mm牛角,SMT
Spec:2.0mm Ejector Header,SMT
Positions:10~68



04.4系列: 2.0mm牛角,90度
Spec:2.0mm Ejector Header,Right Angle
Positions:10~68



04.4系列: 2.0mm牛角 90°
Spec:2.0mm Ejector Header Right Angle
Positions:10~68



04.5系列: 2.54mm传统牛角,180度
Spec:2.54mm Ejector Header,Straight
Positions:6~64



04.5系列: 2.54mm传统牛角,90度
Spec:2.54mm Ejector Header,Right Angle
Positions:6~64



04.5系列: 2.54mm传统牛角,SMT
Spec:2.54mm Ejector Header,SMT
Positions:6~64



04.5系列: 2.54mm牛角 180°
Spec:2.54mm Ejector Header Straight
Positions:6~64



04.5系列: 2.54mm压线式牛角
Spec:2.54mm IDC-TYPE Ejector Header
Positions:10~64



04.5系列: 2.54mm压线式牛角带螺丝孔
Spec:2.54mm IDC-TYPE Ejector Header,Screw Hole
Positions:10~64

★ 1.27/2.0/2.54mm IDC系列/DIP系列



05.3系列: 1.27*1.27mm 压线式公座, 二件式
Spec:1.27*1.27mm DIP Plug Connector
Positions:4-68



05.3系列: 1.27*1.27mm 压线式母座,二件式
Spec:1.27*1.27mm IDC Socket
Positions:10-100



05.3系列: 1.27*2.54mm压线式公座,二件式
Spec:1.27*2.54mm DIP PLUG Connector
Positions:68/80



05.3系列: 1.27*2.54mm 压线式母座,二件式
Spec:1.27*2.54mm IDC Socket Connector
Positions:10-80



05.4系列: 2.0*2.0mm 压线式公座, 二件式
Spec:2.0mm DIP Plug Connector
Positions:4-68



05.4系列: 2.0*2.0mm 压线式母座,二/三件式
Spec:2.00mm IDC Socket Connector
Positions:4-68



05.5系列: 2.54*2.54mm 压线式母座,二/三件式
Spec:2.54mm IDC Socket Connector
Positions:6-64



05.5系列: 2.54*2.54mm压线式公座,二件式
Spec:2.54mm DIP PLUG Connector
Positions:6-64



05.5系列: 2.54*7.62mm压线式公座,二件式
Spec:2.54*7.62mm DIP PLUG Connector
Positions:10-40



05.5系列: 2.54mm 压线式公座
Spec:2.54mm DIP PLUG Connector
Positions:10-40



05.5系列: 2.54*2.54mm 压线式母座 三件式
Spec:2.54*2.54mm IDC Socket
Positions:10-80



05.5系列: 2.54*2.54mm 压线式母座 三件式
Spec:2.54*2.54mm IDC Socket
Positions:10-80

★ 1.27mm Micro Connectors 红色IDC系列



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors
Dual Row Female Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Straight Solder.
Tail Pitch:2.54mm.
Spec:Without Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors
Dual Row Female Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Straight Solder.
Tail Pitch:2.54mm.
Spec:With Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors
Dual Row Female Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Surface Mounting Type.
Tail Pitch:2.54mm.
Spec:Without Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors
Dual Row Female Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Surface Mounting Type.
Tail Pitch:2.54mm.
Spec:With Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors
Dual Row Female Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Right Angle.
Tail Pitch:2.54mm.
Spec:Without Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors
Dual Row Female Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Right Angle.
Tail Pitch:2.54mm.
Spec:With Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors Dual Row Male Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Straight Solder.
Tail Pitch:2.54mm.
Spec:Without Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors Dual Row Male Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Surface Mounting Type.
Tail Pitch:2.54mm.
Spec:Without Latch.



05.3系列：红色IDC CONNECTORS SERIES
1.27mm Micro Connectors Dual Row Male Contact.
No.Of Contact:4 Through 26Pin
Termination Styles: Piercing.
Tail Pitch:2.54mm.
Spec:Without Latch.



05.3系列：红色IDC Connectors Series
1.27mm Micro Connectors Dual Row Male Connect.
No.of Contact:4 Through 26Pin
Termination Styles: Straight Solder
Tail Pitch:2.54mm
Spec:Without Latch



05.3系列：红色IDC Connectors Series
1.27mm Micro Connectors Dual Row Male Connect.
No.of Contact:4 Through 26Pin
Termination Styles: Surface Mounting type
Tail Pitch:2.54mm
Spec:Without Latch



05.3系列：红色IDC Connectors Series
1.27mm Micro Connectors Dual Row Male Connect.
No.of Contact:4 Through 26Pin
Termination Styles: Straight Solder
Tail Pitch:2.54mm
Spec:Without Latch

★IC/PLCC Socket Connectors 系列



30.1系列:1.778mm 圆针 IC座 180度
Spec:1.778mm Pitch Machine Pin IC Adapters Straight
Plastics Height:3.0
Positions:A Type24/28/30/32/42;
B Type20/24/28/40/42/48/52/56/64/68;
C Type64



30.1系列:1.778mm 圆孔 IC座 180度
Spec:1.778mm Pitch Machine Pin IC Socket Straight
Plastics Height:3.0
Positions:A Type24/28/30/32/42;
B Type20/24/28/40/42/48/52/56/64/68;
C Type64



30.1系列: 2.54mm圆孔IC座 180° H3.0mm
Spec:2.54mm Pitch Machine Pin IC
Socket Straight
Plastics Height:3.0



30.1系列: 2.54mm圆孔IC座 180° H3.0mm
Spec:2.54mm Pitch Machine Pin IC
Socket Straight
Plastics Height:3.0



30.3系列:2.54mm 圆针 IC座 180度 H3.0
Spec:2.54mm Pitch Machine Pin IC Adapters Straight H3.0
Positions:A Type6/8/10/14/16/18/20/22/24/28
B Type20/22/24/28/32
C Type24/28/32/36/40/42/48/50/52
D Type50/52/64



30.3系列:2.54mm 圆针 IC座 SMT H3.0
Spec:2.54mm Pitch Machine Pin IC Adapters SMT H3.0
Positions:A Type6/8/10/14/16/18/20/22/24/28
B Type20/22/24/28/32
C Type24/28/32/36/40/42/48



30.3系列:2.54mm 圆孔 IC座 180度 H3.0
Spec:2.54mm Pitch Machine Pin IC Socket Straight H3.0
Positions:A Type6/8/10/12/14/16/18/20/22/24/28
B Type20/22/24/28/32
C Type24/28/32/36/40/42/48/50/52
D Type50/52/64



30.3系列:2.54mm 圆孔 IC座 180度 长方 Pin H3.0
Spec:2.54mm Pitch Machine Pin IC Socket Straight H3.0
Positions:A Type6/8/10/12/14/16/18/20/22/24/28
B Type20/22/24/28/32
C Type24/28/32/36/40/42/48/50/52
D Type50/52/64



30.3系列:2.54mm 圆孔 IC座 平头 Pin
Spec:2.54mm Pitch Machine Pin IC Socket Straight H3.0
Positions:A Type6/8/10/12/14/16/18/20/22/24/28
B Type20/22/24/28/32
C Type24/28/32/36/40/42/48



30.3系列:2.54mm IC Socket Connectors
Dual Row PH2.54 Contact.
Pitch:7.62/15.24mm
Termination Styles:SMT Type.
No.Of Contact:6,8,10,14,16,20,24,28,32,40,48,64Pin.



30.3系列: 2.54mm IC Socket Connectors Dual Row
PH2.54 Contact
Pitch:7.62/15.24mm
Termination Styles:SMT Type
No.of Contact:6/8/10/14/16/20/24/28/32/40/48/64Pin



30.3系列: 2.54mm IC Socket Connectors Dual Row
PH2.54 Contact
Pitch:7.62/15.24mm
Termination Styles:SMT Type
No.of Contact:20Pin



30.3系列: 2.54mm IC Socket Connectors
Dual Row
PH2.54 Contact
Pitch:7.62/15.24mm
Termination Styles:SMT Type
No.of Contact:8Pin



30.1系列:1.778mm IC Socket Connectors



30.5系列: PLCC Socket Connectors
PLCC Socket connector
Styles:Solder Type
No.of Contact:44/52Pin



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:Solder Type.
No.Of Contact:20 Pin.




30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:Solder Type.
No.Of Contact:28,32Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:Solder Type.
No.Of Contact:44,52Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:Solder Type.
No.Of Contact:68 Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:Solder Type.
No.Of Contact:84 Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:SMT Type.
No.Of Contact:20,28,32Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:SMT Type.
No.Of Contact:44,52Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:SMT Type.
No.Of Contact:68 Pin.



30.5系列:PLCC Socket Connectors
PLCC Socket Connector.
Styles:SMT Type.
No.Of Contact:84 Pin.

★FPC/FFC系列



21.1系列:0.5FPC 上接/下接(半包式接地片)
Spec:0.5mm Pitch FPC Connectors Top/Bottom
of Contact B Type
Positions:4-60



21.1系列:0.5FPC 超薄型 上/下接
Spec:0.5mm Pitch FPC Connectors Top/Bottom
of Contact C Type
Positions:4-50



21.1系列:0.5FPC 立式 SMT 正/反脚位(全包式接地片)
Spec:0.5mm Pitch FPC Connectors Positive/Versa
Needle A Type
Positions:4-60



21.1系列:0.5FPC 立式 SMT 正/反脚位(半包式接地片)
Spec:0.5mm Pitch FPC Connectors Positive/Versa
Needle B Type
Positions:4-60



21.1系列:0.5FPC 双接 立式 SMT 正/反脚位
Spec:0.5mm Pitch FPC Connectors Doubl Contact
Positive/Versa Needle C Type
Positions:4-60



21.1系列:0.5FPC SMT 掀盖式
Spec:0.5mm Pitch FPC Connectors D Type
Positions:4-50



21.3系列:1.0 FPC DIP 180度 单接 正/反脚位
Spec:1.0mm Pitch FPC Connectors Straight
Positive/Versa Needle A Type
Positions:4-40



21.3系列:1.0 FPC DIP 90度 单接 正/反脚位
Spec:1.0mm Pitch FPC Connectors Right Angle
Positive/Versa Needle A Type
Positions:4-40



21.3系列:1.0 FPC DIP 180度 双接 正/反脚位
Spec:1.0mm Pitch FPC Connectors Straight
Doubl Contact Positive/Versa Needle
Positions:4-40



21.3系列:1.0 FPC DIP 90度 双接 正/反脚位
Spec:1.0mm Pitch FPC Connectors Right Angle
Doubl Contact Positive/Versa Needle
Positions:4-40



21.3系列:1.0 FPC SMT 上/下接(全包式接地片)
Spec:1.0mm Pitch FPC Connectors SMT
Top/Bottom of Contact A Type
Positions:2-29



21.3系列:1.0 FPC SMT 上/下接(半包式接地片)
Spec:1.0mm Pitch FPC Connectors SMT
Top/Bottom of Contact B Type
Positions:4-40



21.3系列:1.0 FPC 立式 SMT 单接 带锁扣 正/反脚位
Spec:1.0mm Pitch FPC Connectors SMT
Positive/Versa Needle C Type
Positions:4~60



21.3系列:1.0 FPC 立式 SMT 单接 带锁扣 人字脚 正/反脚位
Spec:1.0mm Pitch FPC Connectors SMT
Positive/Versa Needle D Type
Positions:4~60



21.3系列:1.0 FPC SMT 单接 掀盖式
Spec:1.0mm Pitch FPC Connectors SMT
Positive/Versa Needle E Type
Positions:4~40



21.3系列:1.0 FPC 立式 SMT 双接 正/反脚位
Spec:1.0mm Pitch FPC Connectors SMT
Doul Contact Positive/Versa Needle A Type
Positions:4~40



21.3系列:1.0 FPC 卧式 SMT 双接
Spec:1.0mm Pitch FPC Connectors SMT
Doul Contact B Type
Positions:4~40



21.3系列:1.0 FPC DIP 180度 单接 带锁扣 正/反脚位
Spec:1.0mm Pitch FPC Connectors Straight
Positive/Versa Needle B Type
Positions:4~40



21.3系列:1.0 FPC DIP 90度 单接 带锁扣 上/下接
Spec:1.0mm Pitch FPC Connectors Right Angle
Top/Bottom of Contact B Type
Positions:4~40



21.4系列:1.25 FPC DIP 180度 单接 正/反脚位
Spec:1.25mm Pitch FPC Connectors Straight
Positive/Versa Needle
Positions:4~40



21.4系列:1.25 FPC DIP 90度 上接 正/反脚位
Spec:1.25mm Pitch FPC Connectors Right Angle
Top/Bottom of Contact
Positions:4~40



21.4系列:1.25 FPC DIP 180度 双接 正/反脚位
Spec:1.25mm Pitch FPC Connectors Straight,
Doul Contact
Positions:4~40



21.4系列:1.25 FPC DIP 90度 双接 正/反脚位
Spec:1.25mm Pitch FPC Connectors Right Angle,
Doul Contact
Positions:4~40



21.4系列:1.25 FPC 卧式 SMT
Spec:1.25mm Pitch FPC Connectors SMT
Positions:4~40

★ 条形连接器系列



22.1系列: 1.0mm卧式 SMT



22.1系列: 1.0mm立式 SMT



22.2系列: 1.25mm DIP 180°



22.2系列: 1.25mm 卧式 SMT




22.2系列: 1.25mm DIP 90°



22.3系列: 1.5mm 立式 SMT



22.4系列: PH2.0mm 卧式 SMT




22.4系列: PH2.0mm DIP 180°



22.4系列: PH2.0mm DIP 90°



22.4系列: PH2.0mm DIP 90° 定位



22.5系列: XH2.54mm DIP 180°



22.5系列: XH2.54mm DIP 90° 定位



22.5系列: XH2.54mm 立式 SMT



22.5系列: XH2.54mm 卧式 SMT



22.5系列: XH2.54mm DIP 90°



22.5系列: XH2.54mm DIP 90°



22.7系列: 3.96mm Wafer DIP 180°



22.7系列: 3.96/VH Wafer Connector



22.6系列:MX3.0 WAFER SMT 2x5P



22.6系列:MX3.0 WAFER SMT 2x5P



22.6系列:MX3.0 WAFER DIP90° 1x5P



22.6系列:MX3.0 WAFER DIP90° 2x2P



22.6系列:MX3.0 WAFER DIP90° 2x3P



22.6系列:MX3.0 WAFER DIP90° 1x3P



22.6系列:MX3.0 WAFER DIP180° 2x3P



22.6系列:MX3.0 WAFER SMT 1x4P



22.9系列:ATX 4.2 DIP 90° 排距5.5mm
PIN:2x3P 2x4P



22.9系列:ATX 4.2 DIP 90°
PIN:2x3P 2x4P



22.9系列:4.2mm Wafer 双排 90度
Spec:4.2mm Wafer connectors Right Angle
Positions:2x1-2x12P



22.9系列:大四P 公端 刺破式

★USB+HDMI系列



22.9系列:4.2mm Wafer 双排 90度(带耳扣)
Spec:4.2mm Wafer connectors Right Angle
Positions:2x1-2x12P



33系列:Mini USB 10P 母座 SMT
Spec:Mini USB 10P Female, SMT



33系列:Mini USB 12P 母座 SMT
Spec:Mini USB 12P Female, SMT



33系列:MICRO USB A/F B/F SMT 无柱/有柱



33.3系列:USB 3.0 A/M SOLDER



33.3系列:USB 3.0 B/M SOLDER



33.3系列:USB 3.0 A/F SOLDER



33.3系列:USB 3.0 A/M SMT



33.3系列:USB 3.0 A/F DIP 90° 双层



33.3系列:USB 3.0 A/F SMT



33.3系列:USB 3.0 B/F DIP 90°



33.3系列:USB 3.0 A/F DIP90°



33.3系列:USB 3.0 A/F DIP 180°



33.3系列:MICRO USB 3.0 B/F TYPE FEMALE SMT



33.3系列:MICRO USB 3.0 B/F SMT(DIP SHELL)



33系列:USB A/M DIP 90°



33系列:USB A/F SMT



33系列:USB A/F DIP90° 沉板式



33系列:USB A/F DIP180 *



33系列:USB A/F DIP90 * 双层



33系列:USB B/F DIP90 *



33系列:USB B/F DIP180 *



33系列:MINI USB 8F/10F SMT



33系列:MINI USB 5F SMT

★D-SUB系列



35.4系列: HDB-44P 焊线式



35.4系列: HDB-50P 焊线式



35.4系列: DB-37P 焊线式



35.4系列: DB-25P 焊线式



35.4系列: DB-9P 公座 焊线式



35.4系列: DB-9P 母座 焊线式



35.4系列: HDB-50P 焊线式



35.4系列: HDB-26P 母座 焊线式



35.4系列: HDP-44P 公座 焊板式 带鱼叉



35.4系列: HDP-44P 母座 焊板式 带鱼叉



35.4系列: DP-15P 母座 焊板式 带鱼叉



35.4系列: HDB-44P 公座 焊线式



35.4系列: HDB-44P 母座 焊线



35.4系列: DB-25P 母座 焊线式



35.4系列: DB-25P 公座 焊线式



35.4系列: HDB-26P 母座 焊线式



35.4系列: DR-9P 公座 焊板式 带鱼叉 锁螺丝



35.4系列: DR-37P 90° 母座 焊板式 带鱼叉 锁螺丝



35.4系列: D-SUB 9P 母座



35.4系列: DB-9P 母座 焊线式



35.4系列 DB-9/15/25P 焊线式



35.4系列: HDB-15P 焊线式




35.4系列: DP-25P 公母 插板式



35.4系列: HDB-15P 公座 焊线式 180°


★ 灰排线系列




72系列: 1.27mm IDC灰排线




72系列: 1.27mm DIP灰排线



72系列: 2.0mm IDC灰排线



72系列: 2.54mm IDC灰排线



72系列: 2.54mm IDC灰排线



72系列: 2.54mm IDC灰排线



72系列：2.54mm IDC灰排线



72系列：1.27mm IDC灰排线红色



72系列：2.54mm IDC灰排线



72系列：2.54mm 灰排线



72系列：2.54mm IDC-FD灰排线



72系列：2.54mm IDC灰排线红色

★FFC线材系列




71.1系列：0.5mmFFC线



71.1系列：0.5mmFFC线



71.1系列：0.5mmFFC线



71.2系列：0.8mmFFC线



71.1系列：1.0mmFFC线




71.1系列：1.0mm FFC线



71.2系列 0.8mmFFC线



71.3系列: 1.0mmFFC线




71.3系列: 1.0mmFFC线



71.3系列: 1.0mmFFC线



71.3系列: 1.0mmFFC线



71.4系列: 1.25mmFFC线



71.5系列: 1.5mmFFC线



71.3系列: 1.0mmFFC线分股包布



71.1系列: 0.5mmFFC线包布



71.3系列: 1.0mmFFC线包布



71.2系列: 0.8mmFFC线分股包布



71.1系列: 0.5mmFFC线分股包布

连接世界 · 连接你我 · 连接产品



RealRun 深圳市惟赞电子有限公司
Shenzhen RealRun Electronic Co.,Ltd

地址：广东深圳市光明新区公明镇红星村伯诚工业城

Address: Bocheng Industrial Park, Hongxing Village, Gongming
Town, Guangming New District, Shenzhen, Guangdong

电话：0755-27838363 传真：0755-29961182

手机：13802709836 邮编：518106

<http://www.realrun.com.cn>

各地经销代理